

Product Highlights

Full-Resolution Video

HDMI video up to 4K @ 30 Hz Ultra HD resolution for stunning videos and images with no lag

Ultra-Fast USB 3.0

SuperSpeed USB 3.0 technology allows you to transfer files up to 10 times faster than with USB 2.0

Dual-Slot SD Card Reader

Dual-slot SD card reader is compatible with both SD and microSD cards



DUB-M530

5-in-1 USB-C Hub with HDMI and SD/microSD Card Reader

Features

HDMI Compatibility

- Ultra HD video resolution up to 4K @ 30 Hz
- Supports HDMI 1.4 and DisplayPort Alternate Mode over USB-C
- HDCP 2.2 compatible

SD Card Compatibility

- SD card & microSD card
- v1.0/v2.0 (SDHC)/v3.0 (SDXC)

USB Type-C with Simple Installation

- Two USB 3.0 SuperSpeed 5 Gbps ports
- Backwards compatible with USB 2.0 and USB 1.1
- Simply plug-and-play, no software required

Sturdy Aluminum Casing With Stainless Steel-Colored Finish

- Strong aluminum alloy casing
- Dark grey color matches aesthetically with many portable devices

The DUB-M530 5-in-1 USB-C Hub with HDMI and SD/microSD Card Reader allows you to instantly add a second display, a SD card reader, and two additional USB 3.0 ports to your ultra-portable computer. Just plug the DUB-M530 into an available USB Type-C port and you're ready to send content to your TV or monitor in full resolution with the reliability of a wired video connection. You can also connect up to 2 more USB devices, as well as insert a microSD or regular SD card, giving you direct access to your full-resolution photos stored on memory cards from your cameras.

Fully-Featured HDMI Video Connectivity

The DUB-M530 5-in-1 USB-C Hub with HDMI and SD/microSD Card Reader plugs into any available USB Type-C or Thunderbolt 3 port on your computer and enables you to connect to a HDMI display with a resolution of up to 4K at 30 frames per second.

Easy to Use

The DUB-M530 connects to your computer's USB Type-C port and is ready to run as soon as it's plugged in. The plug-and-play design ensures that there is no need to change any configuration settings or install any additional software for your computer. For extra convenience, the adapter's compact design means that you can easily slip the DUB-M530 into your pocket or laptop bag and take it with you.

Hardware Overview



Technical Specifications

Connectivity

Device Interfaces	<ul style="list-style-type: none"> • HDMI Port (3840 x 2160 or 4096 x 2160 pixels @ 30 Hz) • MicroSD card slot • SD card slot 	<ul style="list-style-type: none"> • Two USB 3.0 Type-A Ports • USB Type-C Connector (Thunderbolt 3 compliant)
Standards	<ul style="list-style-type: none"> • USB Specification Version 3.0 • USB Specification Version 2.0 • USB Specification Version 1.1 • SD card v1.0/v2.0 (SDHC)/v3.0 (SDXC) 	<ul style="list-style-type: none"> • HDMI 1.4 • HDCP 2.2 • DisplayPort Alternate Mode

General

Minimum System Requirements	<ul style="list-style-type: none"> • Computer running Microsoft Windows[®] OS, Mac OS[®], or Chrome OS[™] 	<ul style="list-style-type: none"> • A USB Type-C Port with DisplayPort Alternate Mode support
-----------------------------	---	---

Physical

Dimensions (W x H x D)	<ul style="list-style-type: none"> • 96 x 29 x 9 mm (3.78 x 1.14 x 0.35 in) 	<ul style="list-style-type: none"> • Cable length: 11.5 cm (4.53 in)
Weight	<ul style="list-style-type: none"> • 42.0 g (1.48 oz) 	
Power	<ul style="list-style-type: none"> • Input: Bus-powered 	<ul style="list-style-type: none"> • Consumption: 131 mA, 5 V DC
Temperature	<ul style="list-style-type: none"> • Operating: 0 to 70 °C (32 to 158 °F) 	<ul style="list-style-type: none"> • Storage: -25 to 85 °C (-13 to 185 °F)
Humidity	<ul style="list-style-type: none"> • Operating: 5% to 80% RH, non-condensing 	<ul style="list-style-type: none"> • Storage: 5% to 80% RH, non-condensing
Certifications	<ul style="list-style-type: none"> • CE • IC 	<ul style="list-style-type: none"> • FCC • RCM

Order Information

Part Number	Description
DUB-M530	5-in-1 USB-C Hub with HDMI and SD/microSD Card Reader

Updated April 11, 2019